

MODEL	TS-208	TS-212
Working Width	200mm	300mm
Working thickness	0.8~50mm	0.8~50mm
Sanding Belt Size	8'' × 75''	13'' × 75''
Conveyor Belt Size	8'' × 208''	13'' × 208''
Feeding speed	2.5~9M/min	2.5~9M/min
Sand Belt Motor	10Hp × 2	10Hp × 2
Feeding Motor	1Hp	2Hp
Cooled Motor	0.25Hp	0.5Hp
Elevation Motor	60W × 2	60W × 2
Machine Dimension	126''× 49''× 73''	126''× 53''× 73''
Machine Weight	2300kg	2500kg

MODEL	TS-308	TS-312
Working Width	200mm	300mm
Working thickness	0.8~50mm	0.8~50mm
Sanding Belt Size	8'' × 75''	13'' × 75''
Conveyor Belt Size	8'' × 265''	13'' × 265''
Feeding speed	2.5~9M/min	2.5~9M/min
Sand Belt Motor	10Hp × 3	10Hp × 3
Feeding Motor	2Hp	3Hp
Cooled Motor	0.5Hp	1Hp
Elevation Motor	60W × 3	60W × 3
Machine Dimension	155''× 49''× 73''	155''× 53''× 73''
Machine Weight	2900kg	3300kg

MODEL	TS-408	TS-412
Working Width	200mm	300mm
Working thickness	0.8~50mm	0.8~50mm
Sanding Belt Size	8" × 75"	13" × 75"
Conveyor Belt Size	8" × 322"	13" × 323"
Feeding speed	2.5~9M/min	2.5~9M/min
Sand Belt Motor	10Hp × 4	10Hp × 4
Feeding Motor	3Hp	3Hp
Cooled Motor	1Hp	1Hp
Elevation Motor	60W × 4	60W × 4
Machine Dimension	187"× 49"× 73"	187"× 53"× 73"
Machine Weight	3700kg	4300kg

MODEL	TS-508
Working Width	200mm
Working thickness	0.8~50mm
Sanding Belt Size	8'' × 75''
Conveyor Belt Size	8'' × 380''
Feeding speed	2.5~9M/min
Sand Belt Motor	10Hp × 5
Feeding Motor	5Hp
Cooled Motor	1Hp
Elevation Motor	60W × 5
Machine Dimension	213''× 49''× 73''
Machine Weight	4500kg